

J ICE

ICEMAKERS CATALOGUE


Indice
Index

08	**SERIES JS** Bright Cube
14	**SERIE JP** Hollow Cube
22	**SERIE JM** Modular Cube
28	**SERIE JF** Flake Ice
36	**SERIE G-N** Nuggets
40	**SERIES JB** Storage bins

Joly Ice®

JOLYICE, ICE PROFESSIONALS

Experience, competence and dedication, since 1963



The long journey in the professional refrigeration field, led us to the construction of efficient and functional machines for ice production, assuring a long durability over time and simplifying our customer's activities in Horeca sector, and more.

Ice produced by JolyIce machines is used not only for cocktails and beverages preparations, but also in food production sector, in cosmetics, in spa centres and in medical facilities, being versatile and practical. It grants always the best quality standards.

The JolyIce quality starts from raw materials: stainless steel is processed and assembled following the best Lean Production guidelines and techniques, and it takes on new life by applying the most advanced mechanical and technological systems for ice production and refrigeration.

One of our main goals is to bring added value through the innovation of our products, meeting customer's requirements. We manage the whole design and conception phase in Italy, in addition to the production and engineering processes: since 1995 our company is certified by ISO 9001 Quality Management System.

Our constant commitment is to anticipate and completely satisfy the most sophisticated customers exigencies, with an innovative, reliable, safe and durable product.

OUR ADDED VALUE

Rainbow Technology ®
(Optional)

The evaporator is the beating heart of the refrigeration system and the device generating the formation of ice.
JolyIce developed in its laboratories an additional high-efficiency protection system.
The Rainbow tech® is the patented nano-technological treatment that protects evaporators from aggressive agents as, for instance, those contained in some waters but also from wrong chemicals used for cleaning.
A very thin vitrification layer of the evaporator surface grants also a perfect detachment of ice cubes and an insignificant release of metals in the ice.
Furthermore, the limescale formation is reduced for a total durability and food safety.
The Rainbow tech® system is available on demand for: JS, JP, JM.

Kit Ozone
(Optional)

Ice can be considered as food.
For this reason, our mission is to provide the consumer with clean and organoleptically safe ice.
JolyIce is one of the very first manufacturers to include the use of Ozone to grant a state-of-the-art sanitization of its machines.
Now more than ever, this is the best solution to assure the elimination of bacteria, germs and virus proliferation from food products.
The Ozone sanitization system allows as well to halve the need of maintenance by technicians and cleaning, reducing costs and increasing the machine durability.
JolyIce is unique for its patented management system of Ozone programmable cycle.




100% Natural Gas

JolyIce commitment for environmental protection leads to design ecological machines with natural gas R290.
This refrigerant grants low consumptions, more efficiency and maximum respect for the environment.
The use of no CFC and HCFC assures a minimum environmental impact (GWP 3).


SCT Treatment
Safe coating treatment


On all JS and JP Series evaporators, JolyIce has replaced the usual nickel treatment, adopted on all icemakers, with the SCT treatment. Some studies prove that traditional nickel treatment releases metal molecules in the ice, even if within legal limits.
SCT system allows to obtain values up to 20 times lower than those recommended by the laws and up to 10 times lower compared to traditional nickel plating.

Specific weight 20 g



Specific weight 20 g







SERIES

JS

BRIGHT CUBE

HO.RE.CA.

A full and structured ice cube, with rounded surface for a prolonged beverage cooling.
Its particular transparency is highly appreciated in any context of use.

Compact and transparent, this ice is extremely elegant and efficient for various exigencies:
ice buckets, cocktails, aperitifs and whisky on the rocks.

The JS series electronical management system allows complete access to all functions and service setting of the machine, by a simple touch on the capacitive control panel.

TRANSPARENCY



SERIES

JS

JS series icemakers grant a high production capacity, despite their compact dimensions. A very essential design, for an easier placement in every single context.

- LARGE INCORPORATED STORAGE BIN CAPACITY
- STAINLESS STEEL BODY
- EASY-ACCESS FOR INTERNAL CLEANING AND MAINTENANCE
- SUPPLY CABLE WITH SCHUKO PLUG
- CAPACITIVE TOUCH CONTROL FOR STAND-BY AND RESET
- FRONTAL VENTILATION (EXCEPT FOR JS28/JS28F)
- USB ACCESS WITH PARAMETERS MEMORY
- AUTOMATIC WASHING
- EVAPORATOR ELECTRONIC SENSOR
- STORAGE BIN ELECTRONIC SENSOR

SERIES

JS

BRIGHT CUBE

HO.RE.CA.

JS-F range, fully electronic, is available in R 134 gas.

Fully electronic range of full-cube icemakers, in accordance with the strictest anti-pollution norms adopting R290 natural gas.
Energy saving up to 25% compared with old models.

JS 28
JS 28 F



Dimensions (LXPXH):
340 x 480 x 600 mm
Ice kg/24h:
28 (A) | 27 (W)
23 (A) | 21 (W)
Bin capacity: 6,5 kg

JS 28+
JS 28+ F



Dimensions (LXPXH):
400 x 480 x 600 mm
Ice kg/24h:
28 (A) | 28 (W)
25 (A) | 23 (W)
Bin capacity: 7 kg

JS 38
JS 38 F



Dimensions (LXPXH):
400 x 540 x 690 mm
Ice kg/24h:
38 (A) | 36 (W)
36 (A) | 36 (W)
Bin capacity: 11,5 kg

JS 46
JS 46 F



Dimensions (LXPXH):
500 x 540 x 690 mm
Ice kg/24h:
46 (A) I 41 (W)
41 (A) I 43 (W)
Bin capacity: 15 kg

JS 54
JS 54 F



Dimensions (LXPXH):
500 x 580 x 800 mm
Ice kg/24h:
54 (A) I 54 (W)
52 (A) I 54 (W)
Bin capacity: 22 kg

JS 70
JS 70 F



Dimensions (LXPXH):
700 x 580 x 995 mm
Ice kg/24h:
70 (A) I 75 (W)
72 (A) I 70 (W)
Bin capacity: 42 kg

JS 90
JS 90 F



Dimensions (LXPXH):
700 x 580 x 995 mm
Ice kg/24h:
86 (A) I 88 (W)
89 (A) I 89 (W)
Bin capacity: 42 kg

SERIES

JS

ACCESSORIES & OPTIONAL

Rainbow Technology

Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.

Legs kit

For adapting the ideal machine height, in the installation context.

Cleaning kit

Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.

Ozone Sanitization

For a safe and deep sanitization of your icemaker.
Programmable cycle.


Drain-pump kit

External drain pump kit, compatible with all icemakers of the range.


Impurities filter Kit


Special external filter to avoid impurities accumulation inside the icemaker.

Specific weight 21 g



Specific weight 21 g





SERIES

JP

HOLLOW CUBE

HO.RE.CA.

A hollow ice cube, with wide surface for fast beverage cooling.
With a simple and essential shape, it grants an extreme flexibility of use.

Soft drinks, cocktails, café and / or other preparations that needs a rapid cooling, will identify JP series hollow ice cube as the perfect ally.

The paddle system is the sole technology suitable to grant the correct machines functioning, also with hard waters full of scale and impurities. JP series is the most versatile, for any type of installation.

VERSATILITY



SERIES

JP

Modern design with rounded corners and fully stainless-steel body. The paddle system with fingers-evaporator is the sole technology suitable to grant the correct machines functioning, also with hard waters full of scale and impurities.

- LARGE INCORPORATED STORAGE BIN CAPACITY
- CAPACITIVE TOUCH CONTROL FOR STAND-BY AND RESET
- AUTOMATIC WASHING
- EXTRACTIBLE FRONTAL AIR FILTER
- FRONT AIR INTAKE/OUTLET
- SUPPLY CABLE WITH SCHUKO PLUG
- STAINLESS STEEL BODY
- USB ACCESS WITH PARAMETERS MEMORY
- LIFTED DRAINS AND SIDE OUTLETS
- SUPPLY CABLE WITH SHUKO PLUG
- STORAGE BIN AND CONDENSER ELECTRONIC SENSOR

SERIES

JP

HOLLOW CUBE

HO.RE.CA.

New JP range, fully electronically controlled, is available also in R 134 gas.

New hollow ice cube fully electronic icemakers, in accordance with the strictest anti-pollution norms adopting R290 natural gas.

JP 23 NANO
JP 23 NANO F



Dimensions (LXPXH):
340 x 545 x 620 mm
Ice kg/24h:
23 (A) | 23 (W)
21 (A) | 19 (W)
Bin capacity: 5 kg

JP 23
JP 23 F



Dimensions (LXPXH):
340 x 545 x 690 mm
Ice kg/24h:
23 (A) | 23 (W)
21 (A) | 19 (W)
Bin capacity: 7 kg

JP 25
JP 25 F



Dimensions (LXPXH):
400 x 545 x 690 mm
Ice kg/24h:
25 (A) | 24 (W)
25 (A) | 23 (W)
Bin capacity: 10 kg

JP 30
JP 30 F



Dimensions (LXPXH):
400 x 545 x 690 mm
Ice kg/24h:
28 (A) I 27 (W)
30 (A) I 27 (W)
Bin capacity: 10 kg

JP 36
JP 36 F



Dimensions (LXPXH):
450 x 545 x 690 mm
Ice kg/24h:
36 (A) I 36 (W)
37 (A) I 35 (W)
Bin capacity: 12 kg

JP 62
JP 62 F



Dimensions (LXPXH):
600 x 585 x 956 mm
Ice kg/24h:
62 (A) I 66 (W)
60 (A) I 58 (W)
Bin capacity: 28 kg

JP 80
JP 80 F



Dimensions (LXPXH):
700 x 585 x 956 mm
Ice kg/24h:
80 (A) I 81 (W)
80 (A) I 81 (W)
Bin capacity: 36 kg

JP 45
JP 45 F



Dimensions (LXPXH):
500 x 600 x 693 mm
Ice kg/24h:
45 (A) I 46 (W)
45 (A) I 46 (W)
Bin capacity: 16 kg

JP 50
JP 50 F



Dimensions (LXPXH):
500 x 585 x 956 mm
Ice kg/24h:
50 (A) I 50 (W)
50 (A) I 48 (W)
Bin capacity: 21 kg

JP 95
JP 95 F



Dimensions (LXPXH):
800 x 585 x 956 mm
Ice kg/24h:
96 (A) I 105 (W)
92 (A) I 90 (W)
Bin capacity: 40 kg

JP 150
JP 150 F



Dimensions (LXPXH):
920 x 650 x 1280 mm
Ice kg/24h:
150 (A) I 151 (W)
150 (A) I 142 (W)
Bin capacity: 67 kg

SERIES

JP

ACCESSORIES & OPTIONAL

Rainbow Technology

Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.

Legs kit

For adapting the ideal machine height, in the installation context.

Cleaning kit

Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.

Ozone Sanitization

For a safe and deep sanitization of your icemaker.
Programmable cycle.


Drain-pump kit

External drain pump kit, compatible with all icemakers of the range.


Impurities filter Kit

Special external filter to avoid impurities accumulation inside the icemaker.


Large
Specific weight 17 g




Dice
Specific weight 10 g



Half-large
Specific weight 6 g







SERIES

JM

MODULAR CUBE

HO.RE.CA.

Full and square ice cube, available in three different sizes DICE, HALF-LARGE and LARGE.
The perfect solution for quick beverage cooling.

High productivity of JM icemakers with vertical evaporator, matched with JolyIce storage bins, is the ideal answer for activities where a huge water consumption is required.

Several applications sectors, these ice cubes are confirmed as the optimal choice in large bars, nightclubs, hotels & resorts, restaurants and fast-food.

MODULARITY



SERIES

JM

New range of modular icemakers, full cube, with vertical evaporator, with a linear and innovative design, characterized by a high reliability and an extreme ease of use. Fully stainless-steel structure and very easy to inspect.
This line of icemakers represents the best solution for whatever activity with high consumption of ice.
A uniform and constant flow distributes the water on a chilled surface, specifically designed to achieve a high volume of ice.

- HIGH PRODUCTION CAPACITY AND COMPATIBILITY WITH JOLYICE STORAGE BINS
- STAINLESS STEEL BODY
- CAPACITIVE TOUCH CONTROL FOR STAND-BY AND RESET
- AUTOMATIC WASHING
- USB ACCESS WITH PARAMETERS MEMORY
- SIDE FILTER WASHABLE AND EXTRACTIBLE

SERIES

JM

MODULAR CUBE

HO.RE.CA.

New range of modular JM icemakers, completely electronic, respects the most stringent environmental parameters.

JM-F, completely electronic, is available with R452a gas.

JM icemakers adopt the most advanced technology to assure the minimal environmental impact, and also the highest safety standards.
The proposed models are ecological, using Propane 100% natural gas (R290).

JM 145
JM 145 F



Dimensions (LXPXH):
560 x 620 x 575 mm
Ice kg/24h:
145 (A) | 133 (W)
143 (A) | 129 (W)
Bin capacity:
pages 46-47

JM 195
JM 195 F



Dimensions (LXPXH):
560 x 620 x 660 mm
Ice kg/24h:
212 (A) | 205 (W)
212 (A) | 205 (W)
Bin capacity:
pages 46-47

JM 205
JM 205 F




Dimensions (LXPXH):
760 x 620 x 575 mm
Ice kg/24h:
220 (A) | 210 (W)
240 (A) | 215 (W)
Bin capacity:
pages 46-47

JM 305
JM 305 F




Dimensions (LXPXH):
760 x 620 x 575 mm
Ice kg/24h:
300 (A) | 270 (W)
300 (A) | 265 (W)
Bin capacity:
pages 46-47

JM 405
JM 405 F



Dimensions (LXPXH):
760 x 620 x 725 mm
Ice kg/24h:
400 (A)
430 (A) | 352 (W)
Bin capacity:
pages 46-47

JM 505 F



Dimensions (LXPXH):
760 x 620 x 725 mm
Ice kg/24h:
460 (A) | 415 (W)
Bin capacity:
pages 46-47

SERIES

JM

Rainbow Technology

Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.

Ozone Sanitization

For a safe and deep sanitization of your icemaker, available for the combined bin.

Cleaning Kit

Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.

Drain-pump Kit

External drain pump kit, compatible with all icemakers of the range.

Flake
25%-15% water content

Adjustable
ice humidity



SERIES

J F

FLAKE ICE

HO.RE.CA.
ALIMENTAIRE
INDUSTRIEL
HOSPITALIER

Granular ice is an asset in many sectors, thanks to its multiple uses: from food conservation and display, to cocktails preparation, to applications is SPAs, in the world of cosmetics, in medical and hospital environments.
This type of very wet ice is particularly appreciated also in the bakery sector.

Granular ice is very easy to handle, stock and weigh. Its peculiarity is the high residual-water contain that, depending on model, may vary from 25% to 15%.

FRESHNESS



SERIES

JF

New range of granular icemakers, with capacity up to 1.000 Kg/day.
Granular ice is generated by a vertical cylindrical evaporator, with a screw-conveyor, that scrapes the internal surface of the ice pulling it to the outlet of the machine, where ice-crunching system is located.
This system guarantees even ice quality and a minimal residual water.
The JF line includes self-contained models and bin-combined versions, to be paired to the vast selection of JolyIce bins.

- STAINLESS STEEL BODY
- EASY TO INSPECT INTERIORS
- CAPACITIVE TOUCH-KEY FOR STAND-BY AND RESET
- COMPATIBILITY WITH JOLYICE STORAGE BINS
- USB PORTAL TO CHECK ALL THE WORKING HISTORY PARAMETERS

SERIES

JF

HOLLOW CUBE

HO.RE.CA.

JF-F line, completely electronic, is available with R 134a - R452a gas.

The new machines of the JF line are also available in ecological version R290, utilizing propane gas, 100% natural with zero environmental impact: the state-of-the-art technology to safeguard the environment at best.

JF 95 C
JF 95 C-F



Dimensions (LXPXH):
500 x 597 x 694 mm
Ice kg/24h:
90 (A) | 84 (W)
88 (A) | 88 (W)
Bin capacity: 18 kg

JF 130 C
JF 130 C-F



Dimensions (LXPXH):
500 x 597 x 694 mm
Ice kg/24h:
130 (A) | 120 (W)
112 (A) | 112 (W)
Bin capacity: 18 kg

JF 160 C
JF 160 C-F



Dimensions (LXPXH):
700 x 650 x 995 mm
Ice kg/24h:
165 (A) | 168 (W)
152 (A) | 154 (W)
Bin capacity: 50 kg

JF 200 C
JF 200 C-F



Dimensions (LXPXH):
700 x 650 x 995 mm
Ice kg/24h:
210 (A) | 195 (W)
190 (A) | 190 (W)
Bin capacity: 50 kg

JF 125
JF 125 F



Dimensions (LXPXH):
570 x 545 x 535 mm
Ice kg/24h:
130 (A) | 120 (W)
112 (A) | 112 (W)

JF 305
JF 305 F



Dimensions (LXPXH):
538 x 663 x 650 mm
Ice kg/24h:
280 (A) | 280 (W)
300 (A) | 300 (W)

JF 505
JF 505 F



Dimensions (LXPXH):
538 x 663 x 790 mm
Ice kg/24h:
400 (A) | 400 (W)
450 (A) | 450 (W)

JF 165
JF 165 F



Dimensions (LXPXH):
570 x 545 x 535 mm
Ice kg/24h:
165 (A) | 168 (W)
152 (A) | 154 (W)


JF 205
JF 205 F



Dimensions (LXPXH):
570 x 545 x 535 mm
Ice kg/24h:
210 (A) | 195 (W)
190 (A) | 190 (W)

AVAILABLE ON REQUEST:

SFN1000 A-W
SF 500, SFN 1000, SFN 2200, SFN2200 TROPICAL
with remote condenser



SERIES

JF

ACCESSORIES & OPTIONAL

Ozone Sanitization

For a safe and deep sanitization of your icemaker, available for the combined bin.

Legs Kit

For adapting the ideal machine height, in the installation context.


Cleaning Kit

Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.

Drain-pump Kit

External drain pump kit, compatible with all icemakers of the range.

Specific weight 1 g, approximately 8% water content



SERIES

G - N

NUGGETS

HO.RE.CA.

Nuggets-shaped has the characteristics of being both compact and pleasant to chew, being half-way between granular ice and solid ice cubes.

It is the ideal ice for the creation of cocktails where crunched ice is needed as caipirinhas, mojitos or caipiroskas.

Nuggets format ice has a low water contain and may be used in many spaces as: cocktails-bars, disco-clubs, professional catering and restaurants, centralized kitchens and the medical sector as well.

COMPACTNESS



SERIES

G-N

The range of icemakers “nugget” type is based on two models, with different production capacities, to be combined with a separate bin.
The “nugget” type ice is created via a vertical and cylindrical evaporator, equipped with a screw-conveyor, that scrapes the internal surface of the ice pulling it to the outlet of the machine, where an extruder presses the ice into small cylinders.
These machines to be paired to the vast selection of JolyIce bins.

- GREAT PRODUCTION CAPACITY
- STAINLESS STEEL BODYSHELL
- FRONT-FACING AIR INTAKE AND OUTLET
- EASY MANAGEMENT OF THE ICE
- ONLY 8% RESIDUAL WATER IN ICE
- COMPATIBILITY WITH JOLYICE BINS

SERIES

G-N

NUGGETS

HO.RE.CA.

G-N range is available only in R452a gas.


ACCESSORIES & OPTIONAL

Ozone Kit

For a safe and deep sanitization of your icemaker, available for the combined bin.

NU

G-N 270 F



Dimensions (LXPXH):
538 x 663 x 645 mm
Ice kg/24h:
320 (A) | 305 (W)
Bin capacity:
pages 46-47

NU

G-N 470 F



Dimensions (LXPXH):
538 x 663 x 794 mm
Ice kg/24h:
570 (A) | 640 (W)
Bin capacity:
pages 46-47

SERIES

JB

STORAGE BINS

The JolyIce bins are entirely designed internally to match whatever users' need.

The high quality of materials and the construction technology constitute the ideal solution for whoever may need to preserve significant amount of ice, long term.

Stainless steel and deep-formed food-quality plastic, processed with silver-salts antibacterial treatment, combined with the possibility to install the Ozone sanitization system, render those bins extremely food-safe and easy to clean.

SAFETY



STORAGE BINS

JB

Robust and elegant, the JB series bins are made in fully insulated steel, with shock-resistant hatch and incorporated showel.

JB 105



Dimensions (LXPXH):
568 x 848 x 1045 mm
Bin capacity (kg):
129 granular / 101 cube

JB 155



Dimensions (LXPXH):
568 x 880 x 1270 mm
Bin capacity (kg):
168 granular / 132 cube

JB 205



Dimensions (LXPXH):
769 x 848 x 1048 mm
Bin capacity (kg):
181 granular / 141 cube

JB 255



Dimensions (LXPXH):
770 x 880 x 1270 mm
Bin capacity (kg):
243 granular / 191 cube

JB 305



Dimensions (LXPXH):
1081 x 824 x 968 mm
Bin capacity (kg):
252 granular / 197 cube

JB 405



Dimensions (LXPXH):
1235 x 873 x 1270 mm
Bin capacity (kg):
406 granular / 319 cube

JB 505



Dimensions (LXPXH):
1331 x 880 x 1270 mm
Bin capacity (kg):
478 granular / 375 cube

STORAGE BINS

JUB

The JUB series bins have a robust steel structure, are suitable for heavy loads and flaunt a spring-loaded hatch, with a Teflon paddle provided.

JUB 700



Dimensions (LXPXH):
1524 x 1128 x 1735 mm
Bin capacity (kg):
812 granular / 637 cube

JUB 500



Dimensions (LXPXH):
1220 x 1125 x 1428 mm
Bin capacity (kg):
553 granular / 434 cube

JUB 1000



Dimensions (LXPXH):
1830 x 1470 x 1290 mm
Bin capacity (kg):
1063 granular / 838 cube

STORAGE BINS

JBR

The JBR series bins are externally made in steel and internally in food-quality polyethylene.
Equipped with trolley and Teflon paddle, they dose the ice from the outlet drawer.

JBR 320



Dimensions (LXPXH):
885 x 1267 x 1803 mm
Bin capacity (kg):
318-391 granular / 249-306 cube

JBR 140



Dimensions (LXPXH):
884 x 1025 x 1343 mm
Bin capacity (kg):
137-210 granular / 107-164 cube

JBR 620



Dimensions (LXPXH):
1753 x 1267 x 1803 mm
Bin capacity (kg):
613-759 granular / 481-595 cube

MATCHING TABLE
ICEMAKER / STORAGE BIN

Machine-storage compatibility no lid needed

K... Lid name

* Included

	STORAGE BINS	JB 105	JB 155	JB 205	JB 255	JB 305
MODELS	Kg /24 h	129	168	181	243	252
JM 145	145 (A) I 133 (W) 143 (A) I 129 (W)			KM 205-255	KM 205-255	
JM 195	212 (A) I 205 (W) 212 (A) I 205 (W)			KM 205-255	KM 205-255	
JM 205	220 (A) I 210 (W) 240 (A) I 215 (W)					KM 305
JM 305	300 (A) I 270 (W) 300 (A) I 265 (W)					KM 305
JM 405	400 (A) 430 (A) I 352 (W)					KM 305
JM 505	460 (A) I 415 (W)					KM 305
JF 125	130 (A) I 120 (W) 112 (A) I 112 (W)	*KBD 105-155	*KBD 105-155	KB 205-255	KB 205-255	KB 305
JF 165	165 (A) I 168 (W) 152 (A) I 154 (W)	*KBD 105-155	*KBD 105-155	KB 205-255	KB 205-255	KB 305
JF 205	210 (A) I 195 (W) 190 (A) I 190 (W)	*KBD 105-155	*KBD 105-155	KB 205-255	KB 205-255	KB 305
JF 305	280 (A) I 280 (W) 300 (A) I 300 (W)			KB 205-255	KB 205-255	KB 305
JF 505	400 (A) I 400 (W) 450 (A) I 450 (W)					
G-N 270	320 (A) I 305 (W)	KGC 105-155	KGC 105-155	KGC 205-255	KGC 205-255	KB 305
G-N 470	570 (A) I 640 (W)			KGC 205-255	KGC 205-255	KB 305

JB 405	JB 505	JUB 500	JUB 700	JUB 1000	JBR 140	JBR 320	JBR 620
406	478	553	812	1068	210	391	759
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						
KBM 405	KBM 505						

Joly Ice®

Joly Ice®

Via del lavoro, 9
31033 Castelfranco Veneto (TV) Italy
Tel. +39 0423 738452
www.castelmac.eu
www.jolyice.eu

an Ali Group Company



The Spirit of Excellence